



## BEARING DE MEXICO, S.A. DE C.V.



LSE203BRHSATL Bearing 2D drawings and 3D CAD models

2.188 Inch | 55.575 Millimeter x 2.362 Inch | 60 Millimeter x 3.15 Inch | 80 Millimeter TIMKEN  
LSE203BRHSATL Pillow Block Bearings

Bearing No. LSE203BRHSATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	10.71
EAN	0013992048165
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	LSE203BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



## BEARING DE MEXICO, S.A. DE C.V.

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	23.58
d	2.188 Inch   55.575 Millimeter
D	2.362 Inch   60 Millimeter
Bolt Spacing Maximum	0 Inch   0 Millimeter
B	3.15 Inch   80 Millimeter
Actual Bolt Center to Center	9.2 Inch   234 Millimeter
Nominal Bolt Center to Center	9.2 Inch   234 Millimeter
Bolt Spacing Minimum	0 Inch   0 Millimeter
Shaft Size	2-3/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Standard
Bolt Size	2 x M16
Weight	28 lb
Dimension H	3.150 in
Dimension H1	1.3 in
Dimension H2	7.1 in
Dimension J	9.2 in
Dimension L	11.0 in
Dimension M	2.8 in
Housing Width	4.1 in
Cr - Dynamic Load Rating	23155 lbf
Cor - Static Load Rating	25853 lbf



## BEARING DE MEXICO,S.A.DE C.V.

Ca - Axial Load Rating	1213.95 lbf
Maximum Speed	3940 rpm
Note	This product line was formerly known as " Revolve "